


40 Years of Innovation



1979



1980



1983



1986



1998



2009



2012



2014




2017



Main Menu

[click on product links](#)

Nu	Studio Furniture (New Products!)	3
Ks	Keyboard Stands (Accessories)	8
Gs	Guitar Stands	12
Gs	Pedalboards (New Products!)	13
Ga	Amplifier Stands	13
Gh	Guitar Hanger	13
Ss	Speaker Stands (Accessories)	14
Lt	Lighting Trees (Accessories)	19
Mc	Microphone Stands & Booms	21
Ms	Monitor Stands	26
L.M.	Laptop Mounts & Stands (New Products!)	28
C.B.	Instrument Cases & Bags (New Products!)	31
Tc	Table Covers	34



40 Years of Innovation



Professional Studio Furniture NEW!

[click on product links](#)

[Nucleus Series P. 4-5](#)

NUC-001
NUC-002
NUC-003
NUC-004

[Nucleus Series Modular Parts P. 6](#)

NUC-TR2
NUC-KB1
NUC-R04
NUC-EX24L
NUC-EX24R
NUC-R12L
NUC-R12R

[Studio Desk Accessories P. 6](#)

NUC-MM1
NUC-MM2

[Nucleus Z Series P. 7](#)

NUC-Z-NAV

[Nucleus Z Series Modular Parts P. 7](#)

NUC-Z-RCK
NUC-Z-KBD
NUC-Z-BDM

Ultimate Studio Furniture

Nu

Nucleus Series


NEW!

NUC-001, item #18100

Modular Studio Desk - Base
Model, 12" Extensions

Specs:

- Overall Width: 84.8"
- Overall Depth: 36"
- Overall Height: 29.5"
- Main Worksurface Depth: 24"
- Main Worksurface Height: 29.5"
- Weight: 87.5 lbs.




NUC-002, item #18101

Modular Studio Desk - Expanded
Base Model, 12" Extensions, 2nd
Tier, Keyboard Tray

Specs:

- Overall Width: 84.82"
- Overall Depth: 44"
- Overall Height: 39.29"
- Main Worksurface Depth: 24"
- Main Worksurface Height: 29.5"
- Second Tier Worksurface Depth: 12.12"
- Second Tier Worksurface Width: 58.16"
- Leveler Adjustment: .625"
- Keyboard Surface Width: 30.60"
- Keyboard Surface Depth: 9.76"
- Keyboard Surface Travel: 17.7"
- Weight: 137.5 lbs.



Ultimate Studio Furniture

Nu Nucleus Series


NEW!

NUC-003, item #18102

Modular Studio Desk - Advanced
Model, 24" Extensions, 12 Space \
Rack, 2nd Tier, Keyboard Tray

Specs:

- Overall Width: 101.79"
- Overall Depth: 65.3"
- Overall Height: 39.29"
- Main Worksurface Depth: 24"
- Main Worksurface Height: 29.5"
- Second Tier Worksurface Depth: 12.12"
- Second Tier Worksurface Width: 58.16"
- Leveler Adjustment: .625"
- Keyboard Surface Width: 30.60"
- Keyboard Surface Depth: 9.76"
- Keyboard Surface Travel: 17.7"
- 19" Rack Cabinet Spaces: 12
- Weight: 204.75 lbs.




NUC-004, item #18109

Modular Studio Desk - Advanced
Model Expanded, 24" Extension,
12 Space Rack, 2nd Tier, 4
Space Rack, Keyboard Tray

Specs:

- Overall Width: 101.79"
- Overall Depth: 65.3"
- Overall Height: 39.29"
- Main Worksurface Depth: 24"
- Main Worksurface Height: 29.5"
- Second Tier Worksurface Depth: 12.12"
- Second Tier Worksurface Width: 58.16"
- Leveler Adjustment: .625"
- Keyboard Surface Width: 30.60"
- Keyboard Surface Depth: 9.76"
- Keyboard Surface Travel: 17.7"
- 19" Rack Cabinet Spaces: 12
- 7" Rack Cabinet Spaces: 4
- Weight: 219.75 lbs.



Ultimate Studio Furniture



Nucleus Series Modular Parts

NEW!

NUC-TR2, item #18106

Nucleus Series 2nd Tier

Specs:

- Width: 58.25"
- Height: 4"
- Depth: 18.39"
- Weight: 24 lbs.



NUC-KB1, item #18105

Nucleus Series Keyboard Tray

Specs:

- Width: 30.79"
- Height: 5"
- Depth: 9.76"
- Keyboard Travel: 17.7"
- Weight: 12.55 lbs.



NUC-R04, item #18103

Nucleus Series - Studio Desk - 4 Space Rack (Works with 2nd Tier)

Specs:

- Width: 20.65"
- Height: 8.75"
- Depth: 12"
- Weight: 13 lbs.



NUC-EX24L, item #18112

NUC-EX24R, item #18111

Nucleus Series - Studio Desk
Table Top - Single 24" Extension
with Leg

Specs:

- Width: 32.73"
- Height: 29.5"
- Depth: 24"
- Weight: 24.68 lbs.



NUC-R12L, item #18110

NUC-R12R, item #18104

Nucleus Series - Studio Desk
Table Top - Single 24" Extension
with 12 Space Rack

Specs:

- Width: 32.73"
- Height: 29.5"
- Depth: 24"
- Weight: 55 lbs.



Studio Desk Accessories

NUC-MM1, item# 18107

The Flexible and Sturdy Monitor Mount (Single)



NUC-MM2, item# 18108

The Flexible and Sturdy Monitor Mount (Double)



Ultimate Studio Furniture

Nu Nucleus Z Series

NEW!

NUC-Z-NAV, item# 18116

Modular Studio Desk - Fully
Expanded Z Desk, 8 Space Rack
Cabinet, Keyboard Shelf, Desk
with Two 4 Space Rack Shelf's

Specs:

- Overall Width: 64.50"
- Overall Depth: 28"
- Overall Height: 40.4"
- Main Worksurface Depth: 23.5"
- Keyboard Worksurface Depth: 18"
- Secondary Surface Depth: 12"
- Desk Leveler Adjustment: 1"
- Rack Cabinet Leveler Adjustment: .625"
- 19" Rack Spaces: 16
- Main Worksurface Height: 34.125"
- Weight: 136 lbs.



Nu Nucleus Z Series Modular Parts

NEW!




NUC-Z-RCK, item# 18115
Rack Cabinet (8 space)



NUC-Z-KBD, item# 18114
Keyboard Shelf



NUC-Z-BDM, item# 18113
Desk with Shelf and Two (2) - 4
Space Rack Modules



40 Years of Innovation



Professional Keyboard Stands

[click on product links](#)

Apex® Series P. 9

AX-48B Pro, Black
AX-48B Pro Plus, Black
AX-48S Pro Sliver,

Deltex™ Series P. 9

DX-48B Pro, Black

V-Stand® Pro Series P. 9

VS-88B

IQ Series® P. 10

IQ-3000
IQ-2000
IQ-1000

Accessories P. 10

VSIQ-200
IQ-200
AX-48 Pro Mic
AX-48 Pro Bag

Professional Keyboard Stands

Ks APEX® Series

APEX® AX-48 Pro B, item #17351

APEX® Series Professional Column Keyboard Stand with 13" and 18" Tri-bar Support Arms – Black

Specs:

- Height: 46" (1168mm)
- Weight: 19 lbs. (8.6 kg)
- Folded Length: 52" (1321mm)
- Load Capacity: Up to 125 lbs. per tier (56.8 kg) or 250 lbs. total (113.6 kg)

New top cap w/ professional piano-style hinge.

Height-adjustable arms hold up to 125 lbs. each.

Cable management system.

Arms and legs store inside column.



APEX® AX-48 Pro S, item #17476

APEX® Series Professional Column Keyboard Stand with 13" and 18" Tri-bar Support Arms – Silver

Specs:

- Height: 46" (1168mm)
- Weight: 19 lbs. (8.6 kg)
- Folded Length: 52" (1321mm)
- Load Capacity: Up to 125 lbs. per tier (56.8 kg) or 250 lbs. total (113.6 kg)

APEX® AX-48 PRO Plus, item 17368

APEX® Column Keyboard Stand Bundle with Microphone Boom and Tote Bag – Black

Included with This Bundle:

- AX-48 Pro Column Keyboard Stand (Black)
- Ulti-Boom Telescoping Mic Boom Arm
- AX-48 Pro Boom Adapter
- AX-48 Pro Tote Bag



BAG & BOOM INCLUDED!

Ks Deltex™ Pro Series

Deltex™ DX-48 Pro B, item #17908

Deltex™ Series Professional Compact Column Keyboard Stand with 13" Tri-bar Support Arms – Black

Specs:

- Standing Height: 45.5" (1156mm)
- Weight: 14 lbs. (6.4 kg)
- Folded Length: 49.5" (1257mm)
- Load Capacity: 75 lbs. (34 kg)

Integrated mic mount holds booms and accessories.

Stand holds up to 75 lbs.

Bag holds the support arms and foot bar.



BAG INCLUDED!

Ks V-Stand® Pro Series

V-Stand® Pro, Item #17479

Professional V-Style Height-adjustable Keyboard Stand

V-Stand Pro Features:

- Extraordinarily Versatile – Use in sitting or standing position!
- Incredibly Portable – Folds up into a compact 19" x 9.5" x 6" space!
- Heavy Load Capacity – Great for workstations, large mixers, heavy piano slabs, and DJ equipment!

Heavy-walled support arms.

Height-adjustable legs for sitting or standing.

Floor supports lock in position.



Ultra compact when folded



BAG INCLUDED!

Professional Keyboard Stands

Ks IQ Series®

IQ-3000, item #14036

IQ Series® X-style Keyboard Stand with Patented Memory Lock, Nine Height Settings, Stabilizing End Caps, and Extra-strength Tubing - 300 lbs. Capacity

Specs:

- Height: 28.75" - 37" (730mm - 940mm)
- Width: 22" - 34" (559mm - 864mm)
- Weight: 22 lbs. (10 kg)
- Load Capacity: 300 lbs. (136.1 kg) distributed

300 lbs. weight capacity for workstations, DJ gear, mixers, etc.



Patented Memory Lock system with nine height positions.



Stabilizing end caps overcome uneven surfaces.



IQ-2000, item #13241

IQ Series® X-style Keyboard Stand with Patented Memory Lock, Five Height Settings, Stabilizing End Caps, and Double-braced Tubing - 150 lbs. Capacity


Specs:

- Height: 26.5" - 36" (673mm - 914mm)
- Width: 18.5" - 33" (469mm - 838mm)
- Weight: 15 lbs. (6.8 kg)
- Load Capacity: 150 lbs. (68.2 kg) distributed

Unprecedented strength in a lightweight design.



Patented Memory Lock system with five height positions.



IQ-1000, item #13231

IQ Series® X-style Keyboard Stand with Patented Memory Lock System, Five Height Settings, Stabilizing End Caps, and Single-braced Tubing - 100 lbs. Capacity


Specs:

- Height: 26.5" - 36" (673mm - 914mm)
- Width: 18.5" - 33" (469mm - 838mm)
- Weight: 11 lbs. (5 kg)
- Load Capacity: 100 lbs. (45.5 kg) distributed

Patented Memory Lock system with five height positions.



Extra knee and foot room built into every IQ-1000!



Keyboard Stand Accessories

SEE
PAGE 30



AX-48 Pro Bag, item #17367

Tote Bag for Use with AX-48 Pro Keyboard Stand



HYM-100QR, item #17511

Dynamic laptop stand that mounts to an Apex or deltex keyboard Stand (Keyboard stand needs a 5/8 threaded adapter)



AX-48 Pro Mic, item #17366

Microphone Boom Arm Adapter and Ulti-Boom for Use with AX-48 Pro Keyboard Stand



Add to your VS-88B or IQ-3000. ▲

VS/Q-200B, item #17909

Professional Second Tier for V-Stand® Pro and IQ-3000 Keyboard Stands

- Load capacity: 50 lbs. (23 kg)




Add to your IQ-1000 or IQ-2000. ▲

IQ-200, item #13360

Second Tier for Ultimate Support IQ-2000 and IQ-1000 Keyboard Stands

- Load capacity: 50 lbs. (23 kg)



40 Years of Innovation



Genesis® Series Professional Guitar Stands, Pedalboard AMP Stand & Guitar Hanger

[click on product links](#)

[Guitar Stands P. 12](#)

GS-1000 Pro

GS-100

GS-200

GS-55

[Pedalboard P. 13](#)

GSP-500-BK

[Amp Stand P. 13](#)

AMP-150

[Guitar Hanger P. 13](#)

GS-10 Pro

Genesis® Series Professional Guitar Stands, Pedalboard, AMP Stand & Guitar Hanger



Guitar Stands

GS-1000 Pro, item #17600

Height-adjustable Genesis® Series Guitar Stand with Locking Legs and Self-closing Yoke Security Gate

Specs:

- Set Up Height: 33.5" - 45.5" (838mm - 1156mm)
- Weight: 3.5 lbs. (1.6 kg)
- Folded Length: 3.5" x 21" (89mm x 533mm)

Weight-sensing yoke automatically closes to securely cradle your guitar.



Quickly and easily adjust height.



Legs lock in place when standing or folded.



GS-100, item #13710

Height-adjustable Genesis® Series Guitar Stand with Locking Legs, Hanging-style Yoke and Security Strap

Specs:

- Set Up Height: 33.5" - 45.5" (838mm - 1156mm)
- Weight: 3.5 lbs. (1.6 kg)
- Folded Length: 3.5" x 21" (89mm x 533mm)

Hanging-style yoke and safety strap secures guitar in place.



Quickly and easily adjust height.



Protective padding that won't inherently harm your guitar.



GS-200, item #13711

Genesis® Series Guitar Stand with Locking Legs, Secure Headstock Yoke Security Gate and Support Arms

Specs:

- Set Up Height: 32" (813mm)
- Weight: 3.1 lbs. (1.4 kg)
- Folded: 3.5" x 21" (89mm x 533mm)

Hanging-style yoke and safety strap secures guitar in place.



Support arms offer more traditional support of lower bout.



GS-55, item #17350

Ultra Compact, A-Frame Style Genesis® Series Guitar Stand with Locking Legs

Specs:

- Set Up Height: 12.25" (311mm)
- Weight: 1.5 lbs. (.71 kg)
- Folded: 3.5" x 14" (89mm x 356mm)

Keep extra picks nearby with handy storage slots.



Stable A-Frame design holds acoustic or electric guitars.



Genesis® Series Professional Guitar Stands, Pedalboard, AMP Stand & Guitar Hanger

Gs Pedalboards

NEW!

GSP-500-BK, item #17841

Pedalboard with Universal Power Supply Mounting System, Cable Management System, and Mic Stand Shaft Mounting Attachment

Specs:

- Pedal Surface Width: 24in
- Pedal Surface Depth: 14.375in
- Front Height: .938in
- Rear Height: 4.375in
- Rail Width: 1.875in
- Wire Routing Slot Width: 1.313in
- Power Supply Clamp Range: .5in - 2.5in
- Pedal Surface Area: 345 in^2
- Weight: 9.9lbs

Removable mic mount for the MC-05 mic shaft (0° or 10° tilt)

Universal power supply mounting system

Integrated cable management clips

Includes a **Hybrid 2.0 Bag** with thick padding, water resistant outer material and outside zipper pocket

Other colors coming soon!

Ga AMP Stand

AMP-150, item #13464

Ultra Compact, Three-position Tilt, Genesis® Series Amp Stand with Locking Legs and Mic Boom Attachment

Specs:

- Set Up Height: 17.5" - 21.5" (444mm - 546mm)
- Weight: 3.1 lbs. (1.4 kg)
- Folded: 3.5" x 18" (89mm - 457mm)

Never bring an extra mic stand to the gig again! Just add your boom arm and mic to the AMP-150.

Height adjustable to fit most combo amps.

Three tilt positions direct the amp's sound to your ears.

Gh Guitar Hanger

GS-10 PRO, item #17601

Genesis® Series Adjustable Professional Guitar Hanger with Self-Closing Security Gates – Slatwall & Wall Mount


Specs:

- Wall-to-Headstock Depth: 7.75"-10.5" (196.8mm - 266.7mm)
- Adjustable Angle: Sweepable 180 Degrees
- Weight: 1 lbs. (0.5)

3" and 4" slatwall adapter. Also, Drywall adapter included.

Depth and angle adjustable

Self-closing security gates



40 Years of Innovation



Professional Speaker Stands

[click on product links](#)

[Air-Powered Series](#) [P. 15](#)

TS-110BL
TS-110B
TS-100B

[TeleLock® Series](#) [P. 16](#)

TS-99BL
TS-99B
TS-90B

[Original Series](#) [P. 17](#)

TS-88B
TS-80B
TS-80S

[Classic Series](#) [P. 18](#)

TS-70B

[Accessories](#) [P. 18](#)

Bag-90
Bag-90D
Bag-99
Bag-99D
BMB-200K
TSM-150MK
TSM-138MK
Speaker Stand Covers

Professional Speaker Stands

Ss

Air-Powered Series



Air-Powered Series speaker stands from Ultimate Support represent everything all other speaker stands aspire to be. They're incredibly strong, extraordinarily sturdy, lightweight, and raise and lower speakers on their own! Driven by innovation and years of research and development, the Air-Powered Series features an internal shock that lifts speakers weighing 35 lbs and less with no effort, and requires very little end-user effort to raise speakers weighing more than 35 lbs!

TS-100B, item #16759

Air-Powered Series Lift-assist Aluminum Tripod Speaker Stand with Integrated Speaker Adapter.

Specs:

- Height: 3'8" - 6'7" (1118mm - 2007mm)
- Weight: 12.1 lbs. (5.5 kg)
- Base Diameter: 47" (1194mm)
- Telescoping Tube Diameter: 1.5" (38mm)
- Adapter Diameter: 1.375" (35mm)
- Load Capacity: 150 lbs. (68.2 kg)
- Folded: 43.5" x 5.5" (1105mm x 140mm)

TS-110B, item #17356

Air-Powered Series Lift-assist Aluminum Tripod Speaker Stand with Integrated Speaker Adapter - Extra Tall Height

Specs:

- Height: 5'2" - 9'2" (1575mm - 2794mm)
- Weight: 13.1 lbs. (5.5 kg)
- Base Diameter: 62" (1575mm)
- Telescoping Tube Diameter: 1.5" (38mm)
- Adapter Diameter: 1.375" (35mm)
- Load Capacity: 150 lbs. (68.2 kg)
- Folded: 57.5" x 5.5" (1461mm x 140mm)

TS-110BL, item #17357

Air-Powered Series Lift-assist Aluminum Tripod Speaker Stand with Integrated Speaker Adapter - Extra Tall Height and Leveling Leg

Specs:

- Height: 5'2" - 9'2" (1575mm - 2794mm)
- Weight: 13.5 lbs. (5.5 kg)
- Base Diameter: 62" (1575mm)
- Telescoping Tube Diameter: 1.5" (38mm)
- Leveling Leg Length: 40" - 53" (1016mm - 1346mm)
- Adapter Diameter: 1.375" (35mm)
- Load Capacity: 150 lbs. (68.2 kg)
- Folded: 57.5" x 6" (1461mm x 152mm)

Oversized, heavy wall aluminum tubing for strength and portability.

Internal air-powered shock gently raises and lowers the speaker for you.

Patented tripod design and glass-reinforced fittings and collars for gig-worthy strength.



Extra tall version extends to 9' 2"!!



TS-100B



TS-110B

Extra tall version extends to 9' 2"!!



Leveling leg for placement on uneven surfaces, risers, or stairs.



TS-110BL

Professional Speaker Stands

Ss

TeleLock® Series



TeleLock® Series speaker stands are some of the easiest speaker stands to use thanks to the patented TeleLock® collar. Set the TeleLock® collar to the “Raise” setting and the Auto-lock technology provides just the right amount of resistance to lock the telescoping pole in place while you adjust the height of your speaker. Set it to the “Lower” setting and gently guide your speaker down. Set it to the “Lock” setting and the speaker will securely lock in place. Owning and using TeleLock® speaker stands is like having tour support built into every show!

TS-90B, item #13908

TeleLock® Series Lift-assist Aluminum Speaker Stand with Integrated Speaker Adapter

Specs:

- Height: 3'8" - 6'7" (1118mm - 2007mm)
- Weight: 7.3 lbs. (3.3 kg)
- Base Diameter: 47" (1194mm)
- Telescoping Tube Diameter: 1.5" (38mm)
- Adapter Diameter: 1.375" (35mm)
- Load Capacity: 150 lbs. (68.2 kg)
- Folded: 43.5" x 5.5" (1105mm x 140mm)

TS-99B, item #13910

TeleLock® Series Lift-assist Aluminum Speaker Stand with Integrated Speaker Adapter - Extra Tall Height

Specs:

- Height: 5'2" - 9'2" (1575mm - 2794mm)
- Weight: 9.8 lbs. (4.5 kg)
- Base Diameter: 62" (1575mm)
- Telescoping Tube Diameter: 1.5" (38mm)
- Adapter Diameter: 1.375" (35mm)
- Load Capacity: 150 lbs. (68.2 kg)
- Folded: 57.5" x 5.5" (1461mm x 140mm)

TS-99BL, item #13642

TeleLock® Series Lift-assist Aluminum Speaker Stand with Integrated Speaker Adapter - Extra Tall Height and Leveling Leg


Specs:

- Height: 5'2" - 9'2" (1575mm - 2794mm)
- Weight: 10.2 lbs. (4.5 kg)
- Base Diameter: 62" (1575mm)
- Telescoping Tube Diameter: 1.5" (38mm)
- Leveling-leg length 40" - 53" (1016mm - 1346mm)
- Adapter Diameter: 1.375" (35mm)
- Load Capacity: 150 lbs. (68.2 kg)
- Folded: 57.5" x 6" (1461mm x 152mm)

Oversized, heavy wall aluminum tubing for strength and portability.

Patented lift-assist TeleLock® collar.

Quick Release design enables a much faster setup and tear down.



Extra tall version extends to 9' 2"!



Extra tall version extends to 9' 2"!



Leveling leg for placement on uneven surfaces, risers, or stairs.



Professional Speaker Stands

Ss

Original Series



TS-80 tripod speaker stands from Ultimate Support are the industry standard stands you've seen on stages for decades. They're sturdy and lightweight, 100% field serviceable, and are used in more venues, on more stages, and in more shows than any other speaker stand in history. Ultimate Support invented the tripod speaker stand over 30 years ago and the TS-80B, TS-80S, and TS-88B continue the legacy of quality, innovation, and strength today.

TS-80B, item #13904

Original Series Aluminum Tripod Speaker Stand with Integrated Speaker Adapter - Black

Specs:

- Color: Black
- Height: 3'8" - 6'7" (1118mm - 2007mm)
- Weight: 7.3 lbs. (3.3 kg)
- Base Diameter: 47" (1194mm)
- Telescoping Tube Diameter: 1.5" (38mm)
- Adapter Diameter: 1.375" (35mm)
- Load Capacity: 150 lbs. (68.2 kg)
- Folded: 43.5" x 5.5" (1105mm x 140mm)

TS-80S, item #13903

Original Series Aluminum Tripod Speaker Stand with Integrated Speaker Adapter - Silver

Specs:

- Color: Silver
- Height: 3'8" - 6'7" (1118mm - 2007mm)
- Weight: 7.3 lbs. (3.3 kg)
- Base Diameter: 47" (1194mm)
- Telescoping Tube Diameter: 1.5" (38mm)
- Adapter Diameter: 1.375" (35mm)
- Load Capacity: 150 lbs. (68.2 kg)
- Folded: 43.5" x 5.5" (1105mm x 140mm)

TS-88B, item #13906

Original Series Aluminum Tripod Speaker Stand with Integrated Speaker Adapter - Extra Tall Height, Black


Specs:

- Color: Black
- Height: 5'2" - 9'2" (1575mm - 2794mm)
- Weight: 9.8 lbs. (4.5 kg)
- Base Diameter: 62" (1575mm)
- Telescoping Tube Diameter: 1.5" (38mm)
- Adapter Diameter: 1.375" (35mm)
- Load Capacity: 150 lbs. (68.2 kg)
- Folded: 57.5" x 5.5" (1461mm x 140mm)

Oversized, heavy wall aluminum tubing for strength and portability.

Patented die-cast metal collar on tripod leg fitting.

Patented tripod design and glass-reinforced fittings and collars for gig-worthy strength.



TS-80B



TS-80S



TS-88B

Professional Speaker Stands

Ss Classic Series

TS-70B, item #13712

Aluminum Tripod Speaker Stand with
Safe and Secure Locking Pin - Black

Specs:

- Height: 4'2" - 6'5"
(1270mm - 1956mm)
- Weight: 5 lbs. (2.4 kg)
- Base Diameter: 40"
(1016mm)
- Telescoping Tube
Diameter: 1.375" (35mm)
- Adapter Diameter:
1.5" (38mm)
- Load Capacity: 150 lbs.
(68.2 kg)
- Folded: 41.5" x 5"
(1054mm x 127mm)

Light weight,
super strong
aluminum tubing.

Safe, secure
fittings and pin
mechanism.

Glass-reinforced
polycarbonate
fittings and collar.



Speaker Stand Accessories

USDJ-PSB-S, item #17704

(Black, Standard) Pair Of Attractive
Sleeves For Speaker Stand And
Lighting Tree

USDJ-PSW-S, item #17706

(White, Standard) Pair Of Attractive
Sleeves For Speaker Stands And
Lighting Trees

Compatible Ultimate Speaker Stands:
TS-100B, TS-90B, TS-80B, TS-80S

BAG INCLUDED!



USDJ-PSB-T, item #17705

(Black, Tall) Pair Of Attractive
Sleeves For Speaker Stands And
Lighting Trees

USDJ-PSW-T, item #17707

(White, Tall) Pair Of Attractive
Sleeves For Speaker Stands And
Lighting Trees

Compatible Ultimate Speaker Stands
& Lighting Trees:
TS-100B, TS-90B, TS-80B, TS-80S,
LT-99B, LT-99BL, LT-88B

BAG INCLUDED!



Bag-90, item #15691

Speaker Stand Tote for One Regular
Sized Speaker Stand



Bag-90D, item #15693

Speaker Stand Tote for Two Regular
Sized Speaker Stands



Bag-99, item #15692

Speaker Stand Tote for One Extra Tall
Speaker Stand



Bag-99D, item #15694

Speaker Stand Tote for Two Extra Tall
Speaker Stand



BMB-200K, item #10766

External Speaker Cabinet Mounting
Bracket for Mounting Speaker
Cabinets on Speaker Stands



TSM-150MK, item #13421


Internal Mounting Bracket for
Mounting Speaker Cabinets on
Speaker Stands - 1-1/2"



TSM-138MK, item #13425

Internal Mounting Bracket for
Mounting Speaker Cabinets on
Speaker Stands - 1-3/8"





40 Years of Innovation



Professional Lighting Trees

[click on product links](#)

[Lighting Trees P. 20](#)

LT-99BL

LT-99B

LT-88B

[Accessories P. 20](#)

LTB-48B

LTB-24B

LTV-24B

Speaker Stand Covers

Professional Lighting Trees

Lt TeleLock

LT-99B, item #17347

LT Series Multi-tiered, Heavy-duty, Extra Tall Lighting Tree & TeleLock® Lift-assist Technology

Specs:

- Included Components:
 - TS-99B Aluminum Tripod Stand
 - LTV-24B 24" Vertical Extension
 - LTB-48B 48" T-style Lighting Crossbar
 - LTB-24B 24" Lighting Sidebars (Qty: 2)
- Base Diameter: 62" (1575mm)
- Height: 7' 2" to 11' 2" (2184mm to 3406mm)
- Weight: 19.6 lbs. (8 kg)
- Telescoping Tube Diameter: 1.5" (38mm)
- Load Capacity: 150 lbs. (68.2 kg)

TeleLock® Mechanism



LT-99BL, item #17387

LT Series Multi-tiered, Heavy-duty, Extra Tall Lighting Tree & Leveling Leg with TeleLock® Lift-assist Technology

Specs:

- Included Components:
 - TS-99BL Tripod Stand w/Leveling Leg
 - LTV-24B 24" Vertical Extension
 - LTB-48B 48" T-style Lighting Crossbar
 - LTB-24B 24" Lighting Sidebars (Qty: 2)
 - Bag-99D Carrying Bag
- Base Diameter: 62" (1575mm)
- Height: 7' 2" to 11' 2" (2184mm to 3406mm)
- Weight: 19.6 lbs. (8 kg)
- Telescoping Tube Diameter: 1.5" (38mm)
- Load Capacity: 150 lbs. (68.2 kg)

Leveling leg
for placement on uneven surfaces, risers, or stairs.



BAG INCLUDED!



Lt Original


LT-88B, item #17343

LT Series Multi-tiered, Heavy-duty, Extra Tall Lighting Tree with Patented Aluminum Tripod Stand

Specs:

- Included Components:
 - TS-88B Aluminum Tripod Stand
 - LTV-24B 24" Vertical Extension
 - LTB-48B 48" T-style Lighting Crossbar
 - LTB-24B 24" Lighting Sidebars (Qty: 2)
- Base Diameter: 62" (1575mm)
- Height: 7' 2" to 11' 2" (2184mm to 3406mm)
- Weight: 17.6 lbs (8 kg)
- Telescoping Tube Diameter: 1.5" (38mm)
- Load Capacity: 150 lbs. (68.2 kg)

Super strong height adjustment collar.



Lighting Tree Accessories


LTB-48B, item #14107

T-style 48" Lighting Crossbar For Use on Ultimate Support TS Tripod Speaker Stands or LTV-24B Vertical Extension



LTV-24B, item #14108

24" Vertical Extension for Adding Additional Height to TS Tripod Speaker Stands



LTB-24B, item #14106

Two 24" Lighting Sidebars For Use on Ultimate Support TS Tripod Speaker Stands or LTV-24B Vertical Extension



USDJ-PSB-T, item #17705

(Black, Tall) Pair Of Attractive Sleeves For Speaker Stands And Lighting Trees

USDJ-PSW-T, item #17707

(White, Tall) Pair Of Attractive Sleeves For Speaker Stands And Lighting Trees



BAG INCLUDED!



A FIRST
1983



1991



2003



A FIRST
2009



40 Years of Innovation



Microphone Stands and Booms

[click on product links](#)

Pro Series R P. 22

Pro-R-T
Pro-R-T-T
Pro-R-T-F
Pro-R-T-Short-T
Pro-R-T-Short-F
Pro-R-SB
Pro-R-ST

Full Tilt P. 23

MC-FT-100
MC-FT-200

Live Retro Series P. 23

LIVE-MC-66B
LIVE-MC-70B
LIVE-MC-77B

Classic Series P. 24

MC-40B Pro
MC-40B Pro 3-Pack
MC-40B Pro Short
MC-05B

Studio Series P. 24

MC-125

Mic Booms Series P. 25

Ulti-Boom Pro-F
Ulti-Boom Pro-T
MC-40B Pro Boom

QuickRelease P. 25

QR-5
QR-1

Professional Microphone Stands

Mc

Pro Series R

NEW!

Pro-R-T, item #17955

Pro Series R Microphone Stand with Patented Quarter-turn Clutch - Reinforced Plastic Tripod Base/Standard Height


Specs:

- Tube Material: Steel
- Tube Finish: Powder Coated
- Tube Diameter: .87" (22 mm)
- Base Type: Locking Tripod
- Base Diameter: 26" (660 mm)
- Height Type: Standard
- Shaft Height: 37.5" - 65" (953 mm x 1651 mm)
- Weight: 5.6 lbs (2.5 kg)

Patented Quarter-turn Clutch

Durable Light Weight Tubing

Locking Base is made of durable, lightweight, reinforced plastic.



Pro-R-T-T, item #17957

Pro Series R Microphone Stand with Patented Quarter-turn Clutch - Reinforced Plastic Tripod Base/Standard Height/Telescoping Boom

Specs:

- Tube Material: Steel
- Tube Finish: Powder Coated
- Tube Diameter: .87" (22 mm)
- Base Type: Locking Tripod
- Base Diameter: 26" (660 mm)
- Height Type: Standard
- Shaft Height: 37.5" - 65" (953 mm x 1651 mm)
- Boom Type: Telescoping
- Boom Length: 20" - 35" (508 mm - 889 mm)
- Weight: 7.55 lbs (3.4 kg)

Telescoping Ulti-Boom Pro included.



Pro-R-T-F, item #17956

Pro Series R Microphone Stand with Patented Quarter-turn Clutch - Reinforced Plastic Tripod Base/Standard Height/Fixed Boom

Specs:

- Tube Material: Steel
- Tube Finish: Powder Coated
- Tube Diameter: .87" (22 mm)
- Base Type: Locking Tripod
- Base Diameter: 26" (660 mm)
- Height Type: Standard
- Shaft Height: 37.5" - 65" (953 mm x 1651 mm)
- Boom Type: Fixed
- Boom Length: 31.75" (806 mm)
- Weight: 7.55 lbs (3.4 kg)

Fixed-length Ulti-Boom Pro included.




Pro-R-T-Short-T, item #17959

Pro-R-T-Short-F, item #17958

Pro Series R Microphone Stand with Patented Quarter-turn Clutch - Tripod Base/Short Height/Ulti-Boom Pro

Specs:

- Tube Material: Steel
- Tube Finish: Powder Coated
- Tube Diameter: .87" (22 mm)
- Base Type: Locking Tripod
- Base Diameter: 26" (660 mm)
- Height Type: Short
- Shaft Height: 19.25" - 28.25" (489 mm x 718 mm)
- Boom Length (Telescoping): 20" - 35" (508 mm - 889 mm)
- Boom Length (Fixed-length): 31.75" (806 mm)
- Weight: 6.55 lbs (2.9 kg)



Pro-R-SB, item #17953

Pro Series R Microphone Stand with Patented Quarter-turn Clutch - Stackable Base/Standard Height

Specs:

- Tube Material: Steel
- Tube Finish: Powder Coated
- Tube Diameter: .87" (22 mm)
- Base Type: Weighted Round Stackable Base
- Base Diameter: 11.25" (286 mm)
- Height Type: Standard
- Shaft Height: 35" - 62.5" (889 mm x 1588 mm)
- Weight: 8.15 lbs (3.7 kg)

Stackable base allows up to six stands to stack in the foot print of one.



Pro-R-ST, item #17954

Pro Series R Microphone Stand with Patented Quarter-turn Clutch - Standard Weighted Base/Standard Height

Specs:

- Tube Material: Steel
- Tube Finish: Powder Coated
- Tube Diameter: .87" (22 mm)
- Base Type: Weighted Round Standard Base
- Base Diameter: 11.25" (286 mm)
- Height Type: Standard
- Shaft Height: 35" - 62.5" (889 mm x 1588 mm)
- Weight: 9.15 lbs (4.2 kg)

Round die-cast weighted base



Professional Microphone Stands

Ft Full-Tilt

NEW!

MC-FT-200, item #17943

Full-Tilt (Adjustable) Microphone Stand
with Foot Pedal Control (0° - 10° Tilt)

Specs:

- Base Type: Full-Tilt (Adjustable)
- Height Type: Standard
- Vertical Height: 35" - 62.75"
(889mm x 1594mm)
- Angled Height: 34.75" - 61.75"
(883mm x 1568mm)
- Tube Diameter: .87" (22 mm)
- Tube Material: Steel
- Base Diameter: 11.25" (286mm)
- Weight: 10.5 lbs. (4.8 kg)

Durable,
lightweight
aluminum
construction.

Locking
tripod base.



MC-FT-100, item #17913


Full-Tilt (Fixed) Microphone Stand
(0° & 10° Tilt)

Specs:

- Base Type: Full-Tilt (Fixed)
- Height Type: Standard
- Vertical Height: 35" - 62.75"
(889mm x 1594mm)
- Angled Height: 34.75" - 61.75"
(883mm x 1568mm)
- Tube Diameter: .87" (22 mm)
- Tube Material: Steel
- Base Diameter: 11.25" (286mm)
- Weight: 11.05 lbs. (5 kg)

Durable,
lightweight
aluminum
construction.

Locking
tripod base.



Mc Live Retro Series (*One-Handed Clutch*)

NEW!

LIVE-MC-66B, item #17962

Live Retro Series Microphone Stand with One-
handed Height Adjustment, Durable Lightweight
Aluminum Construction – Tripod Locking Legs


Specs:

- Tube Material: Aluminum
- Tube Diameter: 1" (25mm)
- Base Type: Locking Tripod
- Base Diameter: 26" (660mm)
- Height Type: Standard
- Shaft Height: 46.875" - 73.75"
(1191mm - 1873mm)
- Weight: 4.3 lbs. (1.9 kg)

Ergonomic
clutch -
one-handed
height
adjustment.

Durable,
lightweight
aluminum
construction.

Locking
tripod base.



Live-MC-77B, item #17960

Live Retro Series Microphone Stand with One-
handed Height Adjustment, Durable Lightweight
Aluminum Construction – Stackable Round
Weighted Base

Specs:

- Tube Material: Aluminum
- Tube Diameter: 1" (25mm)
- Base Type: Weighted Round
Stackable Base
- Base Diameter: 26" (660mm)
- Height Type: Standard
- Shaft Height: 43.875" - 70.75"
(1114mm - 1797mm)
- Weight: 7.95 lbs. (3.6 kg)

Stackable
base allows
up to six
stands to
stack in the
foot print of
one.




Live-MC-70B, item #17961

Live Retro Series Microphone Stand with One-
handed Height Adjustment, Durable Lightweight
Aluminum Construction – Standard Round Weighted
Base

Specs:

- Tube Material: Aluminum
- Tube Diameter: 1" (25mm)
- Base Type: Weighted Round
Standard Base
- Base Diameter: 26" (660mm)
- Height Type: Standard
- Shaft Height: 43.875" - 70.75"
(1114mm - 1797mm)
- Weight: 9.10 lbs. (4.1 kg)

Stable
weighted
base.



Professional Microphone Stands

Mc Classic Series

MC-40B Pro, item #17950

Classic Series Tripod Microphone Stand with Three-way Adjustable Boom Arm and Stable Tripod Base

Specs:

- Boom length: 31.75" (806mm)
- Height: 36" - 63" (914mm - 1600mm)
- Tube Diameter: .875" (22mm)
- Tube Material: Steel



MC-40B Pro 3-Pack, item #17951

Classic Series Tripod Microphone Stand with Three-way Adjustable Boom Arm and Stable Tripod Base — 3-Pack

Specs:

- Boom length: 31.75" (806mm)
- Height: 36" - 63" (914mm - 1600mm)
- Tube Diameter: .875" (22mm)
- Tube Material: Steel



MC-40B Pro Short, item #17905

Classic Series Short Tripod Microphone Stand with Three-way Adjustable Boom Arm and Stable Tripod Base

Specs:

- Boom length: 24" (610mm)
- Height: 18.25" - 27.75" (464mm - 705mm)
- Tube Diameter: .875" (22mm)
- Tube Material: Steel




Mc Classic Series (Con.)

MC-05B, item #13461

Classic Series Microphone Stand with Quick-release Clutch and Weighted Round Base

Specs:

- Finish: E-coated
- Base Type: Round Weighted Base
- Base Diameter: 10" (254mm)
- Height Type: Standard
- Height: 34.75" - 64" (883mm - 1626mm)
- Tube Diameter: .87" (22mm)
- Weight: 8.8 lbs. (4 kg)



Mc Studio Series

MC-125, item #16124

Studio Boom with Adjustable Counter Weight and Rollerblade Style Caster Wheels

Specs:

- Finish: Powder Coated
- Base Type: Weighted Base with Wheels
- Base Diameter (with Casters): 26" (660mm)
- Height: 51.5" - 82.75" (1308mm - 2102mm)
- Tube Diameter: 1.1" (28mm)
- Weight: 35 lbs. (15.88 kg)
- Boom Length: 35" - 61" (889mm - 1549mm)
- Counterweight Weight: 5.75 lbs. (2.6 kg)



Professional Microphone Booms



Ulti-Boom Pro Series

Ulti-Boom Pro-TB, item #17651

Microphone Boom Arm with Patented One-touch Adjustment, StableLock Telescoping Lever, & Metal Counterweight - Telescoping

Specs:

- Boom Length: 20"-35" (508mm - 889mm)
- Counterweight: .65 lbs. (0.3 kg)

Adjusts telescoping arm quickly, and doesn't allow it to slip!



Ulti-Boom Pro-FB, item #17650

Microphone Boom Arm with Patented One-touch Adjustment & Metal Counterweight - Fixed Length

Specs:

- Boom Length: 34.75" (883mm)
- Counterweight: .65 lbs. (0.3 kg)

Oversized and heavy-duty tubing.



Patented One-Touch Adjustment



Tilt



Pan



Depth



Rotate



MC-40B Boom Series

MC-40B Pro Boom, item #17952

Fixed Microphone Boom With Four Degrees of Freedom

Specs:

- Boom Length: 31.75" (806mm)

Heavy-duty counterweight.



Ulti-Boom Pro TB

Ulti-Boom Pro FB

MC-40B Pro Boom



QuickRelease



QR-5, item #17516

Five (5) QuickRelease Adapters for Microphone Stands and Microphone Clips & Free Carrying Case Bundle

- Five QR-1 adapters included
- Handy carrying case for FREE!
- Quickly swap mics on stands
- 2-piece QuickRelease adapter
- Made from strong steel




CASE INCLUDED!

QR-1, item #17512

QuickRelease Adapter for Microphone Stands and Microphone Clips

- 2-piece QuickRelease Adapters
- Made from strong steel





40 Years of Innovation

Ms

Professional Monitor Stands

[click on product links](#)

[Column, Angle-Adjustable P. 27](#)

MS-100B (Black)

MS-100R (Red)

[Column, 45" Tall P. 27](#)

MS-45B (Black)

MS-45R (Red)

[Column, 36" Tall P. 27](#)

MS-36B (Black)

MS-36R (Red)

[Desktop, Angle-Adjustable P. 27](#)

MS-80B (Black)

Professional Monitor Stands

Ms

Monitor Stands

MS-100

Second Generation Column Studio Monitor Stand with Adjustable Angle/Axis and Acoustic Foam Pads - Black or Red Accents

Specs:

- Sold in Pairs
- Column Height (Spikes to Top Plate): 36" (914mm)
- Column Height (Foot Caps to Top Plate): 36.5" (927mm)
- Monitor Platform Height (w/Acoustic Foam): 2" (51mm)
- Weight (before filling column): 15.7 lbs. (7.1 kg)
- Base Diameter: 19" (482mm)
- Load Capacity: 75 lbs. (34.1 kg)



Adjust angle and axis of studio monitor.



Internal channels for dampening and cable management.



Sonic isolation and decoupling throughout.



Rubber foot caps and spikes included.



MS-90

Second Generation Column Studio Monitor Stand with Non-marring Decoupling Pads - Black or Red Accents, 36" or 45" Height

Specs:

- Sold in Pairs
- MS-90/36 Height: 36" (914mm)
- MS-90/36 Weight (before filling column): 12.2 lbs. (5.5 kg)
- MS-90/45 Height: 45" (1143mm)
- MS-90/45 Weight (before filling column): 14.5 lbs. (6.6 kg)
- Monitor Base: 12" x 10.25" (305mm x 260mm)
- Base Diameter: 19" (482mm)
- Load Capacity: 75 lbs. (34.1 kg)



Non-marring decoupling pads.



Internal channels for cable and dampening management.



Sonic isolation and decoupling throughout.



Rubber foot caps and spikes included.



MS-90/45B
item #17449

MS-90/45R
item #17430

MS-80, item #17379

Angle-adjustable Desktop Studio Monitor Stands with Acoustic Foam Pads and Rubber Spiked Feet

Specs:

- Sold in Pairs
- Angle Adjustment Height: 2" - 3" (50mm - 76mm)
- Weight: 3.3 lbs. (1.5 kg)
- Monitor Base: 12" x 10.25" (305mm x 260mm)
- Load Capacity: 75 lbs. (34.1 kg)

Foam padding and rubber feet for sonic isolation.




Adjust the angle of your desktop speakers - up or down!



2011

2013

2017



40 Years of Innovation

L.M.

Professional Laptop Mounts & Stands

[click on product links](#)

[Compact Laptop Stand P. 29](#)

HYP-1010

[Laptop Mount & Stands P. 29-30](#)

LPT-1000QR

HYM-100QR

[Laptop Mount & Stand](#)

[Accessories P. 30](#)

QR-5

QR-1

Professional Laptop Mounts & Stands

L.M. Compact Laptop Stand

NEW!

HYP-1010, 17981

Hyper® Series Ergonomic Compact Laptop Stand

Specs:

- Max Usable Height: 13" (330mm)
- Minimum Usable Height: 4" (102mm)
- Support Arm Width: 9.875" (251mm)
- Support Arm Depth: 8" (203)
- Folded Width: 11.75" (298mm)
- Folded Height: 1.25" (32mm)
- Folded Length: 13.25" (337)
- Weight: 4.95 lbs. (2.2 kg)



BAG INCLUDED!

L.M. Laptop Mount & Stands

HyperStation QR, 17510

Desktop and 5/8" Thread Mountable Laptop/DJ Stand with Angle-adjustable Telescoping Support Arms, Height-adjustable Second Tier, and QuickRelease™ Center Post

Specs:

- Height: 12.5" (318mm)
- Base Width: 10.25" (260mm)
- Base Depth: 10.5" (267mm)
- Arms Width: 10.25" (260mm)
- Arms Depth (inside): 8.0" – 13" (203mm – 330mm)
- Second Tier Width: 6.25" (159mm)
- Second Tier Depth: 8.5" (216mm)
- Folded Dimensions: 2.5" x 10.5" x 13" (64mm x 267mm x 330mm)
- Weight: 6.85 lbs. (3.1 kg)



Mounted on HyperStation QR base



Mounted on included t-stand adapter



Mounted on microphone stand



BAG INCLUDED!



QuickRelease adapter for microphone stands

Professional Laptop Mounts & Stands

L.M.

Laptop Mount & Stands (Con.)

HyperMount QR, 17511

Desktop and 5/8" Thread
Mountable Laptop/DJ Stand with
Angle-adjustable Telescoping Support
Arms, Height-adjustable Second Tier,
and QuickRelease™ Center Post

Specs:

- Height: 5.75" (146mm)
- Height w/T-Stand: 6.75" (171mm)
- Arms Width: 10.25" (260mm)
- Arms Depth (inside): 8.0" – 13" (203mm – 330mm)
- Folded Dimensions: 1.5" x 10.5" x 13" (38mm x 267mm x 330mm)
- Weight: 3.35 lbs. (1.5 kg)



QuickRelease
adapter for
microphone
stands



Mounted
on included
t-stand
adapter



Mounted on
microphone
stand



Mounted
on Apex
keyboard
stand

Laptop Mount & Stand Accessories

QR-5, item #17516

Five (5) QuickRelease
Adapters for Microphone
Stands and Microphone Clips
& Free Carrying Case Bundle

- Five QR-1 adapters included
- Handy carrying case for FREE!
- Quickly swap mics on stands
- 2-piece QuickRelease adapter
- Made from strong steel




CASE INCLUDED!

QR-1, item #17512

QuickRelease Adapter for
Microphone Stands and
Microphone Clips

- 2-piece QuickRelease Adapters
- Made from strong steel





40 Years of Innovation

C.B.

Professional Instrument Bags, Cases & Table Covers

[click on product links](#)

Guitar Bags P. 32-33

USHB2-AG-BK
USHB2-AG-BL
USHB2-AG-GR
USHB2-AG-RD
USHB2-EG-BK
USHB2-EG-BL
USHB2-EG-GR
USHB2-EG-RD
USHB2-EB-BK
USHB2-EB-BL
USHB2-EB-GR
USHB2-EB-RD

Keyboard Bags P. 33

USHB2-KB61-BK
USHB2-KB61-BL
USHB2-KB61-GR
USHB2-KB61-RD

Drum Bags P. 34

USHB2-SN-BK
USHB2-SN-BL
USHB2-SN-GR
USHB2-SN-RD

Table Covers P. 34

USDJ-4TCB
USDJ-5TCB
USDJ-6TCB
USDJ-8TCB
USDJ-4TCW
USDJ-5TCW
USDJ-6TCW
USDJ-8TCW

Professional Instrument Bags & Cases

Gb

Hybrid 2.0 – Acoustic Guitar Bags

USHB2-AG-BK, item #17734

USHB2-AG-BL, item #17733

USHB2-AG-GR, item #17731

USHB2-AG-RD, item #17732

Soft case for acoustic & hollow body guitars with backpack straps, water resistant exterior, and storage pocket. Black with black, blue, gray or red trim.

Specs:

- Weight: 7.3 lbs. (3.3 kg)
- Outside Measurements: Neck Width - 8.5" (000mm), Body Width - 19" (000mm), Height - 44.5" (0000mm), Depth - 5.5" (000mm)
- Inside Measurements: Neck - 6.5" (000mm), Body - 17" (000mm), Height - 41.5" (0000mm), Depth - 3.5" (00mm)
- Inside Height without base Insert: 43.5" (000mm)
- Outer material: 840D Nylon Dobby
- Inner material: Nylex (Polyester Flocking Fabric)
- Three Adjustable Padded inserts
- One Outside pocket

Added rubber protective base, strong shoulder straps and handles.



Included compartment for accessories.



Thick padding all around with adjustable padded inserts.



Gb

Hybrid 2.0 – Electric Guitar Bags

USHB2-EG-BK, item #17727

USHB2-EG-BL, item #17714

USHB2-EG-GR, item #17708

USHB2-EG-RD, item #17713

Soft case for electric guitars with backpack straps, water resistant exterior, and storage pocket. Black with black, blue, gray or red trim.

Specs:

- Weight: 6.35 lbs. (2.9 kg)
- Outside Measurements: Neck Width - 8.5" (216mm), Body Width - 16.42" (417mm), Height - 50" (1270mm), Depth - 4.5" (114mm)
- Inside Measurements: Neck - 6.5" (165mm), Body - 14.42" (366mm), Height - 41.5" (1054mm), Depth - 3.17" (80mm)
- Inside Height without base Insert: 43.5" (81mm)
- Outer material: 840D Nylon Dobby
- Inner material: Nylex (Polyester Flocking Fabric)
- Three Adjustable Padded inserts
- One Outside pocket

Added rubber protective base, strong shoulder straps and handles.



Included compartment for accessories.



Interior 1" to 2" thick padding all around with adjustable padded inserts.



Professional Instrument Bags & Cases

Gb

Hybrid 2.0 – Electric Bass Guitar Bags

USHB2-EB-BK, item #17729

USHB2-EB-BL, item #17720

USHB2-EB-GR, item #17712

USHB2-EB-RD, item #17719

Soft case for electric bass guitars with backpack straps, water resistant exterior, and storage pocket. Black with black, blue, gray or red trim.

Specs:

- Weight: 6.35 lbs. (2.9 kg)
- Outside Measurements: Neck Width - 8.5" (216mm), Body Width - 16.42" (417mm), Height - 50" (1270mm), Depth - 4.5" (114mm)
- Inside Measurements: Neck - 6.5" (165mm), Body - 14.42" (366mm), Height - 47" (1194mm), Depth - 2.5" (63.5mm)
- Inside Height without base Insert: 49" (1244mm)
- Outer material: 840D Nylon Dobby
- Inner material: Nylex (Polyester Flocking Fabric)
- Three Adjustable Padded inserts
- One Outside pocket

Added rubber protective base, strong shoulder straps and handles.



Included compartment for accessories.



Thick padding all around with adjustable padded inserts.



Kb

Hybrid 2.0 – 61 Note Keyboard Bags

USHB2-KB61-BK, item #17730

USHB2-KB61-BL, item #17716

USHB2-KB61-GR, item #17709

USHB2-KB61-RD, item #17715

Soft case for 61 note keyboards and controllers with backpack straps, water resistant exterior, and storage pocket. Black with black, blue, gray or red trim.

Specs:

- Weight: 6.25 lbs. (2.8 kg)
- Outside Measurements: Width - 16" (406mm), Height - 42" (1067mm), Depth - 6" (152mm)
- Inside Measurements: Width - 14" (356mm), Height - 40" (1016mm), Depth - 4" (102mm)
- Outer material: 840D Nylon Dobby
- Inner material: Nylex (Polyester Flocking Fabric)
- Three Adjustable Padded inserts
- One Outside pocket

Thick padding all around with added adjustable padded inserts.



Added rubber protective base, strong shoulder straps and handles.



Included compartment for accessories.



Professional Instrument Bags, Cases & Table Covers

C.B. Hybrid 2.0 Snare Drum Bags

USHB2-SN-BK, item #17710

USHB2-SN-BL, item #17737

USHB2-SN-GR, item #17735

USHB2-SN-RD, item #17736

Soft case for snare drum bag with shoulder strap, water resistant exterior, and storage pocket. Black with black, blue, gray or red trim.

Specs:

- Outer material: 840D Nylon Dobby
- Inner material: Nylex (Polyester Flocking Fabric)
- Diameter: 20.5"
- Height: 8.5"
- Inside diameter: 18.5"
- Inside height: 6.5"1" of padding all around



Interior 1" thick padding all around with added adjustable padded inserts.



Added rubber protective base, strong shoulder straps and handles.



Two adjustable inserts



Tc Table Covers

4, 5, 6, & 8 Foot Black/White Table Covers

Durable, Fire-resistant Polyester Table Covers

Features:

- Polyester material
- Wash in cold water gentle cycle, tumble dry
- Fire-resistant material

Table Cover (Black, 4 ft.)

- Part Name: USDJ-4TCB
- Part Number: 17413
- 24" deep x 29" high

Table Cover (White, 4 ft.)

- Part Name: USDJ-4TCW
- Part Number: 17414
- 24" deep x 29" high

Table Cover (Black, 5 ft.)

- Part Name: USDJ-5TCB
- Part Number: 17415
- 30" deep x 29" high

Table Cover (White, 5 ft.)

- Part Name: USDJ-5TCW
- Part Number: 17416
- 30" deep x 29" high

Table Cover (Black, 6 ft.)

- Part Name: USDJ-6TCB
- Part Number: 17417
- 30" deep x 29" high

Table Cover (White, 6 ft.)

- Part Name: USDJ-6TCW
- Part Number: 17418
- 30" deep x 29" high

Table Cover (Black, 8 ft.)

- Part Name: USDJ-8TCB
- Part Number: 17419
- 30" deep x 29" high

Table Cover (White, 8 ft.)

- Part Name: USDJ-8TCW
- Part Number: 17420
- 30" deep x 29" high



40 Years of Innovation



2017 Catalog